



DUAL WATER CONDITIONING/ SOFTENING SYSTEM



TREAT YOUR HARD WATER!

Water heaters, faucets, and shower valves are under attack from corrosion every single day!

The PurEarth2o Dual Water Conditioning/Softening System is designed specifically to reduce chloramines, chlorine and volatile organic compounds (VOCs) and protect your plumbing system and appliances against scale deposits. The build-up of mineral deposits in your water heater, faucets, and shower valves is a costly problem, particularly in hard water areas where water contains large amounts of magnesium and calcium carbonate. Mineral deposits will start to form corrosion the minute your fixtures and appliances are installed.

There's an answer!

The PurEarth2o Dual Water Conditioning/Softening System provides the solution to residential hard water problems and has proven effective in removing mineral build-up on faucets, shower valves, and appliances. After it's installed, it goes to work on your existing scale as well, and with proper care, can keep all your plumbing, faucets, and appliances looking like new, and your countertops and shower doors spot-free – all with low maintenance!




YOU HAVE INVESTED A LOT OF MONEY IN YOUR FAUCETS AND APPLIANCES. PROTECT THEM!



BENEFITS

- Water feels softer and smoother on hair and skin
- Prevents spotting on your faucets, shower glass doors, countertops, glassware, and dishes
- Protects your faucets and shower valves from scale build-up
- Protects your appliances, potentially extending their lifetime

HOW THE DUAL SYSTEM WORKS:



Soft Water Throughout Your Home

Decrease soap residue on faucets, shower doors, and dishes, improve the lifespan of your appliances, and enjoy the way soft water feels on your skin and hair!





DUAL WATER CONDITIONING/ SOFTENING SYSTEM

600 Dual Water Conditioning/Softening System

Sized for homes up to 3,800 sq. ft.

CONNECTION SIZE	1" x 1 1/4" brass connections
FLOW RATE	High-flow rate capacity up to 30 GPM
SIZE / WEIGHT	10"w x 62"h / 122 lbs. each (2 tanks)

800 Dual Water Conditioning/Softening System

Sized for homes up to 7,800 sq. ft.

CONNECTION SIZE	1 1/4" x 1 1/2" brass connections
FLOW RATE	High-flow rate capacity up to 35 GPM
SIZE / WEIGHT	13"w x 64"h / 178 lbs. each (2 tanks)

900 Dual Water Conditioning/Softening System

Sized for homes over 7,800 sq. ft.

CONNECTION SIZE	1 1/4" x 1 1/2" brass connections
FLOW RATE	High-flow rate capacity up to 35 GPM
SIZE / WEIGHT	14"w x 68"h / 190 lbs. each (2 tanks)



Manufactured in the USA



120 N. Pacific St. G-5
San Marcos, CA 92069

Tel: toll-free **888-614-4483**
Fax: toll-free **888-886-3240**

www.purearth2o.com
sales@purearth2o.com

